

**1.3.10 1995 Commercial *Delivered* End-Use Energy Consumption Intensities, by Principal Building Type (1)**

<u>Building Type</u>	<u>Consumption (10<sup>3</sup> Btu/SF)</u>				<u>Total (2)</u>	<u>Percent of Total Consumption</u>
	<u>Space Heating</u>	<u>Space Cooling</u>	<u>Water Heating</u>	<u>Lighting</u>		
Office	24.3	9.1	8.7	28.1	90.5	21%
Mercantile and Service	30.6	5.8	5.1	23.4	69.6	14%
Education	32.8	4.8	17.4	15.8	75.0	12%
Health Care	55.2	9.9	63.0	39.3	176.4	10%
Lodging	22.7	8.1	51.4	23.2	99.5	8%
Public Assembly	53.6	6.3	17.5	21.9	81.7	7%
Food Service	30.9	19.5	27.5	37.0	241.2	8%
Warehouse and Storage	15.7	0.9	2.0	9.8	44.0	9%
Food Sales	27.5	13.4	9.1	33.9	202.2	4%
Vacant (3)	36.0	1.4	5.2	4.7	26.4	3%
Public Order and Safety	27.8	6.1	23.4	16.4	86.9	2%
Other (4)	59.6	9.3	15.3	26.7	144.0	3%
All Buildings	29.0	6.0	13.8	20.4	90.5	100%

Note(s): 1) Further detail can be found in Table 7.4.1. Parking garages and commercial buildings on multibuilding manufacturing facilities are excluded from CBECS 1995. 2) Includes all end-uses. 3) Includes vacant and religious worship. 4) Includes mixed uses, hangars, crematoriums, laboratories, and other.

Source(s): EIA, Commercial Building Energy Consumption and Expenditures 1995, April 1998, Table EU-2, p. 311.